Atherosclerosis, 64 (1987) 267–268
Elsevier Scientific Publishers Ireland, Ltd.

Author Index (Vol. 64)

Abe, R., see Oikawa, S.-i., 7
Abu-Jayyab, A. and El-Qattan, K. (Effects of hyperlipidemia on blood amino acid concentrations in man), 263
Abuirmeileh, N., see Qureshi, A.A., 109
Adelman, S.J., see Glick, J.M., 223
Albee, D., see Paigen, B., 215
Amorosa, L.F., Stevenson, N.R., Wilson, A.C., Schwartz, M., Vitug, A. and Khachadurian, A.K. (The effects of polyoxyethylated cholesterol feeding on hepatic cholesterol synthesis and intestinal cholesterol absorption in rats), 117
Andersen, H.R., see Kristensen, S.D., 13
Aoki, H., see Hirosumi, J., 243
Aoki, H., see Nomoto, A., 255

Bendjellit, S., see Mathé, D., 155
Bhat, H.B., see Negulesco, J.A., 85
Björvell, H., see Rössner, S., 125
Bochenek, W.J., Kapuscinska, B., Slowinska, R. and Rodgers, J.B. (Alterations of secretory pattern of intestinal lipoproteins by the benzoyl ester derivative of poloxalene surfactant (BEP)), 167
Bochenek, W.J., see Rodgers, J.B., 37
Bützow, G.H., see Windler, E.E.T., 63

Castaing, D., see Mathé, D., 155
Chapman, M.H., see Paigen, B., 181
Contaldo, F. (Is hypercholesterolemia a predictor that impaired glucose tolerance (IGT) with progress to diabetes?), 81
Crenshaw, T.D., see Qureshi, A.A., 109

Dahlgren, R.R., see Lo, G.S., 47
Davies, J.M., Epstein, S.E., Pierce, J.E., Ramwell, P.W. and Sprecher, D. (Low density lipoprotein modulation of porcine coronary artery contractile response to histamine), 21
Debray, J., see Etienne, J., 201
Dyerberg, J., see Kristensen, S.D., 13

El-Qattan, K., see Abu-Jayyab, A., 263
Elson, C.E., see Qureshi, A.A., 109
Epstein, S.E., see Davies, J.M., 21
Ernst, E. and Matrai, A. (Abstention from chronic cigarette smoking normalizes blood rheology), 75
Etienne, J., Noé, L., Millot, F., Laruelle, P. and Debray, J. (Antibody against human lipoprotein lipase), 201
Evans, R.H., see Lo, G.S., 47

Fujii, Y., see Oikawa, S.-i., 7

Glick, J.M. Adelman, S.J. and Rothblatt, G.H. (Cholesteryl ester cycle in cultured hepatoma cells), 223
Goto, Y., see Oikawa, S.-i., 7
Greten, H., see Windler, E.E.T., 63

Helve, E. (High density lipoprotein subfractions during continuous insulin infusion therapy), 173
Hirosumi, J., Nomoto, A., Ohkubo, Y., Sekiguchi, C., Mutoh, S., Yamaguchi, I. and Aoki, H. (Inflammatory responses in cuff-induced atherosclerosis in rabbits), 243
Hirosumi, J., see Nomoto, A., 255
Hodgson, G.L., see Lewis, M.C., 27
Hollis, T.M., see Skarlatos, S.I., 55
Holmes, P.A., see Paigen, B., 215
Hori, S., see Oikawa, S.-i., 7

Ishikawa, Y. (Nifedipine-suppressed atherosclerosis in cholesterol-fed rabbits but not in Watanabe heritable hyperlipidemic rabbits), 79

Kapuscinska, B., see Bochenek, W.J., 167
Kaul, D. and Kukreja, R.S. (Atherogenesis – Preventive action of trifluoperazine), 211
Khachadurian, A.K., see Amorosa, L.F., 117
Kim, D.N., Schmee, J., Lee, K.T. and Thomas, W.A. (Atherosclerotic lesions in the coronary arteries of hyperlipidemic swine. Part 1. Cell increases, divisions, losses and cells of origin in first 90 days on diet), 231
Knight, B.L., Soutar, A.K. and Patel, D.D. (Non-saturable degradation of LDL by monocyte-derived macrophages leads to a reduction in HMG-CoA reductase activity with little synthesis of cholesteryl esters), 131
Komai, K., Sabesin, S.M. and Weidman, S.W. (Inhibition of hepatic triglyceride secretion and exogenous triglyceride clearance in the cholestatic rat), 147
Kovats, S.E., see Paigen, B., 181
Kristensen, S.D., Schmidt, E.B., Andersen, H.R. and Dyerberg, J. (Fish oil in angina pectoris), 13
Kukreja, R.S., see Kaul, D., 211

Laruelle, P., see Etienne, J., 201
Lee, K.T., see Kim, D.N., 231
Lewis, M.C., Hodgson, G.L., Shumaker, T.K.. and Namm, D.H. (Evaluation of the hypolipidemic activity of xenalpin in experimental animals), 27

0021-9150/87/$03.50 © 1987 Elsevier Scientific Publishers Ireland, Ltd.

Lin, C.Y., see Paigen, B., 181
Lo, G.S., Evans, R.H., Phillips, K.S., Dahlgren, R.R. and Steinke, F.H. (Effect of soy fiber and soy protein on cholesterol metabolism and atherosclerosis in rabbits), 47
Löser, R., see Schliack, M., 163

Mathé, D., Bendjellit, S. and Castaing, D. (Effect of portacaval anastomosis on plasma lipoproteins of lean and obese Zucker rats), 155
Mathew, C.A., see Nadiger, H.A., 71
Matrai, A., see Ernst, E., 75
Millot, F., see Etienne, J., 201
Mitchell, D., see Paigen, B., 215
Morin, R.J., see Peng, S.-K., 1
Mutoh, S., see Hirosumi, J., 243
Mutoh, S., see Nomoto, A., 255

Naber, E.C., see Negulesco, J.A., 85
Nadiger, H.A., Mathew, C.A. and Sadasivudu, R. (Serum malanodialdehyde (TBA reactive substance) levels in cigarette smokers), 71
Nakatake, J. and Yamamoto, T. (Three-dimensional architecture of elastic tissue in athero-arteriosclerotic lesions of the rat aorta), 191
Namm, D.H., see Lewis, M.C., 27
Negulesco, J.A., Noel, S.A., Newman, H.A.I., Naber, E.C., Bhat, H.B. and Witiak, D.T. (Effects of pure capsaicinoids (capsaicin and dihydrocapsaicin) on plasma lipid and lipoprotein concentrations of turkey poults), 85
Nestel, P.J., see Wong, S., 139
Newman, H.A.I., see Negulesco, J.A., 85
Noel, S.A., see Negulesco, J.A., 85
Nomoto, A., Hirosumi, J., Sekiguchi, C., Mutoh, S., Yamaguchi, I. and Aoki, H. (Antiatherogenic activity of FR34235 (Nilvadipine), a new potent calcium antagonist – Effect on cuff-induced intimal thickening of rabbit carotid artery), 255
Nomoto, A., see Hirosumi, J., 243
Noé, L., see Etienne, J., 201

Ohkubo, Y., see Hirosumi, J., 243
Oikawa, S.-i., Hori, S., Sano, R., Suzuki, N., Fujii, Y., Abe, R. and Goto, Y. (Effect of low density lipoprotein on DNA synthesis of cultured human arterial smooth muscle cells), 7

Paigen, B., Holmes, P.A., Mitchell, D. and Albee, D. (Comparison of atherosclerotic lesions and HDL-lipid levels in male, female, and testosterone-treated female mice from strains C57BL/6, BALB/c, and C3H), 215
Paigen, B., Kovats, S.E., Chapman, M.H. and Lin, C.Y. (Characterization of a genetic difference in the platelet aggregation response of two inbred mouse strains, C57BL/6 and C3H/He), 181
Patel, D.D., see Knight, B.L., 131
Peng, S.-K., Phillips, G.A., Xia, G.-Z. and Morin, R.J. (Transport of cholesterol autoxidation products in rabbit lipoproteins), 1
Peterson, D.M., see Qureshi, A.A., 109
Phillips, G.A., see Peng, S.-K., 1
Phillips, K.S., see Lo, G.S., 47
Pierce, J.E., see Davies, J.M., 21

Qureshi, A.A., Crenshaw, T.D., Abuirmeileh, N., Peterson, D.M. and Elson, C.E. (Influence of minor plant constituents on porcine hepatic lipid metabolism – Impact on serum lipids), 109

Ramwell, P.W., see Davies, J.M., 21
Rodgers, J.B., Slowinska, R. and Bochenek, W.J. (Hydrophobic surfactant effects on aortic cholesterol accumulation and atherosclerosis in hypercholesterolemic rabbits), 37
Rodgers, J.B., see Bochenek, W.J., 167
Rothblatt, G.H., see Glick, J.M., 223
Rössner, S. and Björvell, H. (Early and late effects of weight loss on lipoprotein metabolism in severe obesity), 125

Sabesin, S.M., see Komai, K., 147
Sadasivudu, R., see Nadiger, H.A., 71
Sano, R., see Oikawa, S.-i., 7
Schliack, M., Löser, R. and Seibel, K. (Circadian variation of the hypocholesterolemic effect of K13.004 in rats), 163
Schmee, J., see Kim, D.N., 231
Schmidt, E.B., see Kristensen, S.D., 13
Schwartz, M., see Amorosa, L.F., 117
Seibel, K., see Schliack, M., 163
Sekiguchi, C., see Hirosumi, J., 243
Sekiguchi, C., see Nomoto, A., 255
Shumaker, T.K., see Lewis, M.C., 27
Skarlatos, S.I. and Hollis, T.M. (Cultured bovine aortic endothelial cells show increased histamine metabolism when exposed to oscillatory shear stress), 55
Slowinska, R., see Bochenek, W.J., 167
Slowinska, R., see Rodgers, J.B., 37
Soutar, A.K., see Knight, B.L., 131
Sprecher, D., see Davies, J.M. 21
Stary, H.C. (Macrophages, macrophage foam cells, and eccentric intimal thickening in the coronary arteries of young children), 91
Steinke, F.H., see Lo, G.S., 47
Stevenson, N.R., see Amorosa, L.F., 117
Suzuki, N., see Oikawa, S.-i., 7

Thomas, W.A., see Kim, D.N., 231

Vitug, A., see Amorosa, L.F., 117

Weidman, S.W., see Komai, K., 147
Wilson, A.C., see Amorosa, L.F., 117
Windler, E.E.T., Bützow, G.H. and Greten, H. (Lipoprotein catabolism in rats with portacaval anastomosis on various diets), 63
Witiak, D.T., see Negulesco, J.A., 85
Wong, S. and Nestel, P.J. (Eicosapentaenoic acid inhibits the secretion of triacylglycerol and of apoprotein B and the binding of LDL in Hep G2 cells), 139

Xia, G.-Z., see Peng, S.-K., 1

Yamaguchi, I., see Hirosumi, J., 243
Yamaguchi, I., see Nomoto, A., 255
Yamamoto, T., see Nakatake, J., 191

Atherosclerosis, 64 (1987) 269–272
Elsevier Scientific Publishers Ireland, Ltd.

Subject Index (Vol. 64)

Absorption
atherosclerosis, cholesterol oxidation products, lipoproteins, New Zealand White rabbits, 1
Acetylated LDL
cholesteryl esters, HMG-CoA reductase, LDL, macrophages, receptors, 131
Acyl CoA
cholesterol acyl transferase, cholesteryl ester cycle, cholesteryl ester hydrolase, cultured cells, hepatoma, lipid physical state, 223
Adipose tissue
hepatic lipase, human post-heparin plasma, lipoprotein lipase, lipoprotein lipase antibody, milk, rabbit, 201
Angina pectoris
cyclic AMP, eicosapentaenoic acid, platelet function, prostacyclin, 13
Aorta
arteriosclerosis, Oelastic tissue, formic acid, scanning electron microscopy, vitamin D, 191
Aortic lesion
atherosclerosis, cholesterol, hypocholesterolemic, isolated soy protein, soy fiber, triglyceride, 47
Apolipoprotein B
eicosapentaenoic acid, Hep G2, low density lipoprotein, triacylglycerol, 139
Apoproteins
cholesterol, lipoproteins, phospholipids, portacaval anastomosis, triglycerides, Zucker rats, 155
Arteriosclerosis
aorta, elastic tissue, formic acid, scanning electron microscopy, vitamin D, 191
Atherogenesis
calmodulin, cholesterol, protein kinase 'C', rabbit, trifluoperazine, 211
Atherosclerosis
–, absorption, cholesterol oxidation products, lipoproteins, New Zealand White rabbits, 1
–, aortic lesion, cholesterol, hypocholesterolemic, isolated soy protein, soy fiber, triglyceride, 47
–, calcium antagonist, intimal thickening, nilvadipine, smooth muscle cell migration, 255
–, cholesterol, hydrophobic surfactant, lipoproteins, 37
–, coronary artery, eccentric intimal thickening, electron microscopy, macrophages, smooth muscle cells, 91
–, cuff sheathing, inflammatory response, intimal thickening, smooth muscle cell migration, 243
–, female mice, male mice, HDL lipid levels, testosterone, mouse strains C57BL/6, BALB/c, C3H, 215
–, genetics, inbred mice, platelets, 181
–, haemorheology, risk factors, smoking, 75
–, hyperlipidemia, labeling index, monocyte-macrophage, smooth muscle cell, 231

Bile duct obstruction
chylomicrons, extrahepatic, 147

Calcium antagonist
atherosclerosis, intimal thickening, nilvadipine, smooth muscle cell migration, 255
Calmodulin
atherogenesis, cholesterol, protein kinase 'C', rabbit, trifluoperazine, 211
Capsaicin
cholesterol, dihydrocapsaicin, lipoproteins, triglycerides, turkey, 85
Cholesterol
–, aortic lesion, atherosclerosis, hypocholesterolemic, isolated soy protein, soy fiber, triglyceride, 47
–, apoproteins, lipoproteins, phospholipids, portacaval anastomosis, triglycerides, Zucker rats, 155
–, atherogenesis, calmodulin, protein kinase 'C', rabbit, trifluoperazine, 211
–, atherosclerosis, hydrophobic surfactant, lipoproteins, 37
–, capsaicin, dihydrocapsaicin, lipoproteins, triglycerides, turkey, 85
–, garlic, high protein barley flour, lipogenesis, swine, 109
Cholesterol absorption
hepatic cholesterol synthesis, polyoxyethylated cholesterol, HDL-cholesterol, LDL-cholesterol, intravenous fat tolerance test, lipid metabolism, obesity, triglycerides, VLDL-cholesterol, VLDL-triglycerides, 117
Cholesterol acyl transferase
acyl CoA, cholesteryl ester cycle, cholesteryl ester hydrolase, cultured cells, hepatoma, lipid physical state, 223
Cholesterol oxidation products
absorption, atherosclerosis, lipoproteins, New Zealand White rabbits, 1
Cholesterol, polyoxyethylated
cholesterol absorption, hepatic cholesterol synthesis, HDL-cholesterol, LDL-cholesterol, intravenous fat tolerance test, lipid metabolism, obesity, triglycerides, VLDL-cholesterol, VLDL-triglycerides, 117
Cholesterolemic synthesis
circadian rhythm, hypocholesterolemic effect, K13.004, rat, 163

0021-9150/87/$03.50 © 1987 Elsevier Scientific Publishers , Ltd.

Cholesteryl ester(s)
acetylated LDL, HMG-CoA reductase, LDL, macrophages, receptors, 131
Cholesteryl ester cycle
acyl CoA, cholesterol acyl transferase, cholesteryl ester hydrolase, cultured cells, hepatoma, lipid physical state, 223
Cholesteryl ester hydrolase
acyl CoA, cholesterol acyl transferase, cholesteryl ester cycle, cultured cells, hepatoma, lipid physical state, 223
Cholestyramine
clofibrate, gemfibrozil, hyperlipidemia, lipoproteins, monkeys, nicotinic acid, rats, xenalipin, 27
Chylomicron(s)
–, bile duct obstruction, extrahepatic, 147
–, lipid absorption, surfactant, 167
Circadian rhythm
cholesterolemic synthesis, hypocholesterolemic effect, K13.004, rat, 163
Clofibrate
cholestyramine, gemfibrozil, hyperlipidemia, lipoproteins, monkeys, nicotinic acid, rats, xenalipin, 27
Coronary artery
–, atherosclerosis, eccentric intimal thickening, electron microscopy, macrophages, smooth muscle cells, 91
–, histamine, low density lipoproteins, vasoconstriction, 21
Cuff sheathing
atherosclerosis, inflammatory response, intimal thickening, smooth muscle cell migration, 243
Cultured cells
acyl CoA, cholesterol acyl transferase, cholesteryl ester cycle, cholesteryl ester hydrolase, hepatoma, lipid physical state, 223
Cyclic AMP
angina pectoris, eicosapentaenoic acid, platelet function, prostacyclin, 13

Dihydrocapsaicin
capsaicin, cholesterol, lipoproteins, triglycerides, turkey, 85
DNA synthesis
human arterial smooth muscle cells, low density lipoprotein, 7

Eccentric intimal thickening
atherosclerosis, coronary artery, electron microscopy, macrophages, smooth muscle cells, 91
Eicosapentaenoic acid
–, angina pectoris, cyclic AMP, platelet function, prostacyclin, 13
–, apolipoprotein B, Hep G2, low density lipoprotein, triacylglycerol, 139
Elastic tissue
aorta, arteriosclerosis, formic acid, scanning electron microscopy, vitamin D, 191
Electron microscopy
atherosclerosis, coronary artery, eccentric intimal thickening, macrophages, smooth muscle cells, 91
Endothelial cells, bovine aortic
histamine, histidine decarboxylase, shear stress, 55
Extrahepatic
chylomicrons, bile duct obstruction, 147

Formic acid
aorta, arteriosclerosis, elastic tissue, scanning electron microscopy, vitamin D, 191

Garlic
cholesterol, high protein barley flour, lipogenesis, swine, 109
Gemfibrozil
cholestyramine, clofibrate, hyperlipidemia, lipoproteins, monkeys, nicotinic acid, rats, xenalipin, 27
Genetics
atherosclerosis, inbred mice, platelets, 181

Haemorheology
artherosclerosis, risk factors, smoking 75
HDL
subcutaneous insulin infusion (CSII), insulin, lipoproteins, type I diabetes, 173
HDL-cholesterol
cholesterol absorption, hepatic cholesterol synthesis, polyoxyethylated cholesterol, LDL-cholesterol, intravenous fat tolerance test, lipid metabolism, obesity, triglycerides, VLDL-cholesterol, VLDL-triglycerides, 117
HDL lipid levels
atherosclerosis, female mice, male mice, testosterone, mouse strains C57BL/6, BALB/c, C3H, 215
Hep G2
apolipoprotein B, eicosapentaenoic acid, low density lipoprotein, triacylglycerol, 139
Hepatic cholesterol synthesis
cholesterol absorption, polyoxyethylated cholesterol, HDL-cholesterol, LDL-cholesterol, intravenous fat tolerance test, lipid metabolism, obesity, triglycerides, VLDL-cholesterol, VLDL-triglycerides, 117
Hepatic lipase
adipose tissue, human post-heparin plasma, lipoprotein lipase, lipoprotein lipase antibody, milk, rabbit, 201
Hepatoma
acyl CoA, cholesterol acyl transferase, cholesteryl ester cycle, cholesteryl ester hydrolase, cultured cells, lipid physical state, 223
High protein barley flour
cholesterol, garlic, lipogenesis, swine, 109
Histamine
–, bovine aortic endothelial cells, histidine decarboxylase, shear stress, 55
–, coronary arteries, low density lipoproteins, vasoconstriction, 21
Histidine decarboxylase
bovine aortic endothelial cells, histamine, shear stress, 55
HMG-CoA reductase
acetylated LDl, cholesteryl esters, LDL, macrophages, receptors, 131
Human arterial smooth muscle cells
DNA synthesis, low density lipoprotein, 7

Human post-heparin plasma
adipose tissue, hepatic lipase, lipoprotein lipase, lipoprotein lipase antibody, milk, rabbit, 201
Hydrophobic surfactant
atherosclerosis, cholesterol, lipoproteins, 37
Hyperlipidemia
–, atherosclerosis, labeling index, monocyte-macrophage, smooth muscle cell, 231
–, cholestyramine, clofibrate, gemfibrozil, lipoproteins, monkeys, nicotinic acid, rats, xenalipin, 27
Hypocholesterolemic
–, aortic lesion, atherosclerosis, cholesterol, isolated soy protein, soy fiber, triglyceride, 47
Hypocholesterolemic effect
cholesterolemic synthesis, circadian rhythm, K13.004, rat, 163

Inbred mice
atherosclerosis, genetics, platelets, 181
Inflammatory response
atherosclerosis, cuff sheathing, intimal thickening, smooth muscle cell migration, 243
Insulin
subcutaneous insulin infusion (CSII), HDL, lipoproteins, type I diabetes, 173
Intimal thickening
–, atherosclerosis, cuff sheathing, inflammatory response, smooth muscle cell migration, 243
–, atherosclerosis, calcium antagonist, nilvadipine, smooth muscle cell migration, 255
Intravenous fat tolerance test
cholesterol absorption, hepatic cholesterol synthesis, polyoxyethylated cholesterol, HDL-cholesterol, LDL-cholesterol, lipid metabolism, obesity, triglycerides, VLDL-cholesterol, VLDL-triglycerides, 117
Ischaemic heart disease
lipid peroxidation, malanodialdehyde, smoking, 71
Isolated soy protein
aortic lesion, atherosclerosis, cholesterol, hypocholesterolemic, soy fiber, triglyceride, 47

K13.004
cholesterolemic synthesis, circadian rhythm, hypocholesterolemic effect, rat, 163

Labeling index
atherosclerosis, hyperlipidemia, monocyte-macrophage, smooth muscle cell, 231
LDL
acetylated LDL, cholesteryl esters, HMG-CoA reductase, macrophages, receptors, 131
LDL-cholesterol
cholesterol absorption, hepatic cholesterol synthesis, polyoxyethylated cholesterol, HDL-cholesterol, intravenous fat tolerance test, lipid metabolism, obesity, triglycerides, VLDL-cholesterol, VLDL-triglycerides, 117
Lipid absorption
chylomicrons, surfactant, 167
Lipid metabolism
cholesterol absorption, hepatic cholesterol synthesis, polyoxyethylated cholesterol, HDL-cholesterol, LDL-cholesterol, intravenous fat tolerance test, obesity, triglycerides, VLDL-cholesterol, VLDL-triglycerides, 117
Lipid peroxidation
Ischaemic heart disease, malanodialdehyde, smoking, 71
Lipid physical state
acyl CoA, cholesterol acyl transferase, cholesteryl ester cycle, cholesteryl ester hydrolase, cultured cells, hepatoma, 223
Lipogenesis
cholesterol, garlic, high protein barley flour, swine, 109
Lipoprotein(s)
–, absorption, atherosclerosis, cholesterol oxidation products, New Zealand White rabbits, 1
–, apoproteins, cholesterol, phospholipids, portacaval anastomosis, triglycerides, Zucker rats, 155
–, atherosclerosis, cholesterol, hydrophobic surfactant, 37
–, capsaicin, cholesterol, dihydrocapsaicin, triglycerides, turkey, 85
–, cholestyramine, clofibrate, gemfibrozil, hyperlipidemia, monkeys, nicotinic acid, rats, xenalipin, 27
–, subcutaneous insulin infusion (CSII), HDL, insulin, type I diabetes, 173
Lipoprotein catabolism
portacaval anastomosis, 63
Lipoprotein lipase
adipose tissue, hepatic lipase, human post-heparin plasma, lipoprotein lipase antibody, milk, rabbit, 201
Lipoprotein lipase antibody
adipose tissue, hepatic lipase, human post-heparin plasma, lipoprotein lipase, milk, rabbit, 201
Low density lipoprotein(s)
–, apolipoprotein B, eicosapentaenoic acid, Hep G2, triacylglycerol, 139
–, coronary arteries, histamine, vasoconstriction, 21
–, DNA synthesis, human arterial smooth muscle cells, 7

Macrophages
–, acetylated LDL, cholesteryl esters, HMG-CoA reductase, LDL, receptors, 131
–, atherosclerosis, coronary artery, eccentric intimal thickening, electron microscopy, smooth muscle cells, 91
Malanodialdehyde
ischaemic heart disease, lipid peroxidation, smoking, 71
Milk
adipose tissue, hepatic lipase, human post-heparin plasma, lipoprotein lipase, lipoprotein lipase antibody, rabbit, 201
Monocyte-macrophage
atherosclerosis, hyperlipidemia, labeling index, smooth muscle cell, 231
Mouse strains C57BL/6, BALB/c, C3H
atherosclerosis, female mice, male mice, HDL lipid levels, testosterone, 215

Nicotinic acid
cholestyramine, clofibrate, gemfibrozil, hyperlipidemia, lipoproteins, monkeys, rats, xenalipin, 27

Nilvadipine
atherosclerosis, calcium antagonist, intimal thickening, smooth muscle cell migration, 255

Obesity
cholesterol absorption, hepatic cholesterol synthesis, polyoxyethylated cholesterol, HDL-cholesterol, LDL-cholesterol, intravenous fat tolerance test, lipid metabolism, triglycerides, VLDL-cholesterol, VLDL-triglycerides, 117

Phospholipids
apoproteins, cholesterol, lipoproteins, portacaval anastomosis, triglycerides, Zucker rats, 155
Platelet(s)
atherosclerosis, genetics, inbred mice, 181
Platelet function
angina pectoris, cyclic AMP, eicosapentaenoic acid, prostacyclin, 13
Portacaval anastomosis
–, apoproteins, cholesterol, lipoproteins, phospholipids, triglycerides, Zucker rats, 155
–, lipoprotein catabolism, 63
Prostacyclin
angina pectoris, cyclic AMP, eicosapentaenoic acid, platelet function, 13
Protein kinase 'C'
atherogenesis, calmodulin, cholesterol, rabbit, trifluoperazine, 211

Receptors
acetylated LDL, cholesteryl esters, HMG-CoA reductase, LDL, macrophages, 131
Risk factors
atherosclerosis, haemorheology, smoking, 75

Scanning electron microscopy
aorta, arteriosclerosis, elastic tissue, formic acid, vitamin D, 191
Shear stress
bovine aortic endothelial cells, histamine, histidine decarboxylase, 55
Smoking
–, atherosclerosis, haemorheology, risk factors, 75
–, ischaemic heart disease, lipid peroxidation, malanodialdehyde, 71
Smooth muscle cell(s)
–, atherosclerosis, coronary artery, eccentric intimal thickening, electron microscopy, macrophages, 91
–, atherosclerosis, hyperlipidemia, labeling index, monocyte-macrophage, 231
Smooth muscle cell migration
–, atherosclerosis, cuff sheathing, inflammatory response, intimal thickening, 243
–, atherosclerosis, calcium antagonist, intimal thickening, nilvadipine, 255

Soy fiber
aortic lesion, atherosclerosis, cholesterol, hypocholesterolemic, isolated soy protein, triglyceride, 47
Subcutaneous insulin infusion (CSII)
HDL, insulin, lipoproteins, type I diabetes, 173
Surfactant
chylomicrons, lipid absorption, 167

Testosterone
atherosclerosis, female mice, male mice, HDL lipid levels, mouse strains C57BL/6, BALB/c, C3H, 215
Triacylglycerol
apolipoprotein B, eicosapentaenoic acid, Hep G2, low density lipoprotein, 139
Trifluoperazine
atherogenesis, calmodulin, cholesterol, protein kinase 'C', rabbit, 211
Triglyceride(s)
–, aortic lesion, atherosclerosis, cholesterol, hypocholesterolemic, isolated soy protein, soy fiber, 47
–, apoproteins, cholesterol, lipoproteins, phospholipids, portacaval anastomosis, Zucker rats, 155
–, capsaicin, cholesterol, dihydrocapsaicin, lipoproteins, turkey, 85
–, cholesterol absorption, hepatic cholesterol synthesis, polyoxyethylated cholesterol, HDL-cholesterol, LDL-cholesterol, intravenous fat tolerance test, lipid metabolism, obesity, VLDL-cholesterol, VLDL-triglycerides, 117
Type I diabetes
subcutaneous insulin infusion (CSII), HDL, insulin, lipoproteins, 173

Vasoconstriction
coronary arteries, histamine, low density lipoproteins, 21
Vitamin D
aorta, arteriosclerosis, elastic tissue, formic acid, scanning electron microscopy, 191
VLDL-cholesterol
cholesterol absorption, hepatic cholesterol synthesis, polyoxyethylated cholesterol, HDL-cholesterol, LDL-cholesterol, intravenous fat tolerance test, lipid metabolism, obesity, triglycerides, VLDL-triglycerides, 117
VLDL-triglycerides
cholesterol absorption, hepatic cholesterol synthesis, polyoxyethylated cholesterol, HDL-cholesterol, LDL-cholesterol, intravenous fat tolerance test, lipid metabolism, obesity, triglycerides, VLDL-cholesterol, 117

Xenalipin
cholestyramine, clofibrate, gemfibrozil, hyperlipidemia, lipoproteins, monkeys, nicotinic acid, rats, 27

Zucker rats
apoproteins, cholesterol, lipoproteins, phospholipids, portacaval anastomosis, triglycerides, 155

(Continuation from back cover)

Comparison of atherosclerotic lesions and HDL-lipid levels in male, female, and testosterone-treated female mice from strains C57BL/6, BALB/c and C3H (ATH 03897)
by B. Paigen, P.A. Holmes, D. Mitchell and D. Albee (U.S.A.) 215
Cholesteryl ester cycle in cultured hepatoma cells (ATH 03900)
by J.M. Glick, S.J. Adelman and G.H. Rothblat (U.S.A.) 223
Atherosclerotic lesions in the coronary arteries of hyperlipidemic swine. Part 1. Cell increases, divisions, losses and cells of origin in first 90 days on diet (ATH 03908)
by D.N. Kim, J. Schmee, K.T. Lee and W.A. Thomas (U.S.A.) 231
Inflammatory responses in cuff-induced atherosclerosis in rabbits (ATH 03917)
by J. Hirosumi, A. Nomoto, Y. Ohkubo, C. Sekiguchi, S. Mutoh, I. Yamaguchi and H. Aoki (Japan) 243
Antiatherogenic activity of FR34235 (Nilvadipine), a new potent calcium antagonist. Effect on cuff-induced intimal thickening of rabbit carotid artery (ATH 03916)
by A. Nomoto, J. Hirosumi, C. Sekiguchi, S. Mutoh, I. Yamaguchi and H. Aoki (Japan) 255

Letter to the Editors
Effects of hyperlipidemia on blood amino acid concentrations in man (ATH 03918)
by A. Abu-Jayyab and K. El-Qattan (Saudi Arabia) 263

Author Index (Vol. 64) 267

Subject Index (Vol. 64) 269